NEW, USED, AND REFURBISHED PUMPS AND PARTS

WHEATLEYGASO.COM

GASO DUPLEX, GASO TRIPLEX AND GASO QUINTUPLEX PLUNGER AND PISTON PUMPS BY WHEATLEY AND GASO PUMP

IEQ Industries Ltd
PO Box 230097
Grand Rapids, MI 49523
Phone: 800.544.9053 | 616.452.6882

Wheatley, 184T-7H, Triplex, Plunger Pump

Pumps in this series

184T-7H
184T-7L
184T-7M
184T-7XL

- 184 horsepower 7" stroke horizontal triplex single acting plunger pump
- Available in three end materials
- Pump speeds up to 265 RPM

Specs

Spec	U.S. Standard
Type:	triplex
Minimum Plunger Diameter:	1½"
Maximum Plunger Diameter:	2⅛"
Stroke length:	7⅛"
Maximum Working Pressure:	6,000 PSI
Rod/Piston Load:	11580lb
Gallons per Minute:	87.0
Barrels per Day:	2983
Brake Horse Power:	184.0



Pump Curves

Hover over Power Curves to reveal RPM and GPM



Performance Data Table

Pump	English Units					50 RPM		150 RPM		250 RPM		265 RPM	
	Plunger Dia. In.	Plunger Area Sq. In.	BPD per RPM	GPM per RPM	Max Press. PSI	BPD	GPM	BPD	GPM	BPD	GPM	BPD	GPM
184T-7H	2.125	3.5466	11.252	0.3282	3265	563	16	1688	49	2813	82	2982	87
	2.000	3.1416	9.967	0.2907	3686	498	15	1495	44	2492	73	2641	77
	1.875	2.7612	8.760	0.2555	4194	438	13	1314	38	2190	64	2321	68
	1.750	2.4053	7.631	0.2226	4814	382	11	1145	33	1908	56	2022	59
	1.625	2.0739	6.580	0.1919	5584	329	10	987	29	1645	48	1744	51
	1.500	1.7671	5.606	0.1635	6000	280	8	841	25	1402	41	1486	43

Features/Benefits

- Cast iron power frame
- Ductile Iron crankshaft

- Heavy-duty roller crankshaft bearings
- Ductile iron connecting rods
- Alloy steel crosshead pins
- Stainless steel extension rods
- Internal pressure lubrication
- Precision type, aluminum alloy crankpin bearings
- Bronze bearing crosshead pin bushings
- Cast iron crossheads with upper/lower oil grooves
- Rated rod load is 11580 lbs.
- Fluid end with bolted type valve covers
- Removable stuffing boxes & amp; GlandsÃ‚Â Ã‚Â

Disclaimer I

This website is intended as a reference tool only. It has been constructed from published data that is based on manufacturer's sales and engineering documents that are either current, historical and obsolete. Much of the machinery data contained herein has been re-rated through the years with different engineering criteria which maybe in conflict with legacy data. Much of the content published here is calculated online with the use of dynamic data using formulas and extrapolations considered to be sound engineering formulas and are correct to the degree that the data used is accurate. We have done our best to be as precise as as possible in this posting but do not represent any of the calculations or performance data to be entirely accurate. The data published here is intended to be general information rather than actual and to serve as a reference rather than a technical absolute. The user of such data should confirm such information independently.

Copyright and Disclaimers
WheatleyGaso.com is your resource for Gaso pumps, Gaso pump parts and a supplier of ORIGINAL GASO PARTS and equipment, new used and remanufactured Wheatley, GASO and Wheatley/GASO plunger and piston pumps and pump parts and is not affiliated with Wheatley/GASO Inc. or its parent company, National Oilwell Varco,
p Copyright Â©2017, IntelleQ Holdings, LLC. All rights reserved, *Used under license from IntelleQ Holdings, LLC.